

Road Safety Factsheet

March 2018

Cycle helmets

Cycling is becoming an increasingly popular activity on Britain's roads. In 2016, cyclists covered an estimated 3.6 billion vehicle miles, representing an estimated 6% rise in cycle traffic since 2015¹. Cycling provides a wide range of health benefits, mainly because it is a convenient and affordable form of physical activity, and increasing physical activity reduces the risk of many forms of ill health and disease².

However, unfortunately, cycling does not come without risk, as everyone is exposed to risk of injury on the roads as part of their daily lives. In 2016, 102 cyclists were killed, 3,397 were seriously injured and 14,978 were slightly injured on Great Britain's roads¹. Although cyclists suffer a number of different types of injury during accidents, head injury has been identified as an important cause of death and serious injury in cycling collisions³. One way in which cyclists can prevent or reduce the extent of a head injury in a cycle accident is to wear a cycle helmet.

This factsheet will cover tips for choosing a cycle helmet, the evidence surrounding their effectiveness and RoSPA's policy position on helmet wearing.

RoSPA strongly supports measures that encourage healthy and sustainable travel. The key to increasing cycling (and so gaining all the health and environmental benefits that result from cycling) is to create a safe on and off-road cycling environment, improve driver and cyclist attitudes and behaviour towards each other, and to produce safer vehicles that reduce the risk to cyclists.

RoSPA advocates the Safe System Approach, which involves designing roads and vehicles to minimise the risk of crashes occurring, and ensures that when they do occur, they are unlikely to result in death or serious injury. 20 mph schemes are a good example of the Safe System approach because lower speeds reduce the risk of crashes occurring and the severity of any that do occur.

There continues to be much debate regarding the effectiveness of cycle helmets and whether the wearing of them should be made compulsory. RoSPA's position is that we strongly recommend that cyclists wear a cycle helmet. However, it is important to remember that cycle helmets do not prevent crashes from happening. It is therefore vital that through infrastructure improvements, supported by education and training that we reduce the primary risk factors.



Components of cycle helmets

As shown in the labelled photographs below, cycle helmets consist of a number of different parts.



A shows the plastic shell of the helmet, which can be made of a hard plastic, or a softer flexible plastic.

B shows the foam section of the helmet, which consists of several layers to protect and cushion the cyclist's head in the event of an impact.

C shows the vents in the helmet, which allow the air to flow through the helmet, keeping the cyclist's head cool.




D shows the chin strap, which ensures that the helmet stays in place.

E shows the retention system, which can be adjusted to get the best possible fit.

F shows a light on the rear of the helmet. A helmet with a light can improve other road user's visibility of the cyclist.





H shows the helmet padding, which again helps the cyclist to get the best possible fit and comfort. For hygiene purposes, the padding can usually be removed and washed.

I shows the cycle helmet label. The helmet must meet standard EN1078.



Road Safety Factsheet: Cycle helmets

The law

Despite the protection that a cycle helmet can offer, currently, in the UK, there is no legislation that places any requirement on a cyclist to wear a helmet, though it is recommended by Transport for London and the Highway Code⁴. Rule 59 states that 'you should wear a cycle helmet that conforms to current regulation, is the correct size and securely fastened'.

How cycle helmets work

Bicycle helmets are manufactured from expanded foam polystyrene. This is because although polystyrene is structurally rigid, it is easy to damage by crushing because it is full of tiny air pockets. As the process of crushing absorbs energy, this makes expanded foam polystyrene the ideal material for bicycle helmets⁵. This is because if the liner material in the helmet was elastic, the impact energy that was initially absorbed would be returned to the head later in the impact, making the helmet much less effective at protecting the cyclist's head⁶. Some helmets are also made of expanded polypropylene or expanded polyurethane, which have similar properties. However, these materials are not as common because they are heavier and more expensive⁷.

Modern cycle helmets also have a micro-shell, often made of plastic. This shell is usually between 0.3 and 0.8mm thick and is bonded to the liner material during the manufacturing process. The micro-shell can help to maintain helmet integrity in an impact, which is important if a second impact to the head occurs in the same accident⁴. This shell is also designed to glide along the road in a collision, rather than bringing the head to a jarring halt, which could cause further injury to the cyclist.

Choosing a cycle helmet

There are many different kinds of cycle helmets available in the UK, ranging in price. However, if you do choose to buy a cycle helmet, there are a number of things to consider.

Safety

The main purpose of a cycle helmet is to prevent or reduce the extent of injury to a cyclist's head during a collision. Therefore, the safety of the helmet must be considered. Cycle helmets must adhere to standard EN1078, which states that a helmet must be designed to withstand an impact similar to an average rider travelling at 12mph falling onto a stationary kerb-shaped object from a height of one metre⁵. To determine whether the helmet meets these standards, the helmet will go through a number of tests, looking at helmet construction, field of vision, shock absorption and the retention system. To ensure that your helmet meets this standard, look for a CE marked EN1078 sticker.

A standard has also been designed for younger children's helmets, known as EN1080. The difference between this and the EN1078 standard is that the chin strap is attached differently to an EN1080 standard helmet. With these helmets, the chin strap is designed to snap off during a collision to prevent the child from choking or being strangled if the helmet snags⁸.



Road Safety Factsheet: Cycle helmets

However, it is important to note that helmets are not tested or expected to offer full protection to cyclists who collide with a moving vehicle. This is because in collisions with a motor vehicle, speeds can be far higher and the forces that can result from a collision are unpredictable. Therefore, it is much more difficult to calculate the degree of protection the helmet can offer in these situations.

Investing in a helmet with multi-directional impact protection system, known as MIPS can also be considered. This adds an extra layer of protection within the helmet shell, which helps to redirect dangerous rotational forces that the brain can be subjected to during a fall or collision. These helmets often look and feel the same as other helmets, but have a thin yellow liner inside the helmet. If a collision occurs, this liner slips back minimally and redirects any twisting forces to protect the brain⁹.

Fit

It is also of paramount importance that the helmet fits well, as the majority of helmets come in a variety of sizes. If a helmet is too small, it will sit too high and fail to protect the lower part of the head. If it is too big, the helmet will not be securely fitted to the cyclist's head and could shift during a collision, exposing the cyclist's head to damage. Although helmets can be purchased online, it is recommended that you visit your local bike shop to be correctly fitted for a helmet.

Although helmets do come in a variety of sizes, features such as a retention system and padding can ensure that you get the best fit.

Many helmets will have a retention system to allow the cyclist to adjust the helmet to fit their head. Some of these systems include a ratchet at the rear of the helmet that slides in and out to adjust the fit for comfort and security. The best retention systems are usually micro-adjustable and can be used with a single hand, which is useful if you need to adjust your helmet during a ride. These systems usually involve an easy-to-use dial ratchet that you can twist to adjust. Some more advanced retention systems also adjust in multiple directions to fit the cyclist's head shape⁷.

Padding can also be added to the helmet to get a better and more comfortable fit. For convenience, it is best to purchase padding that can be easily removed and washed. However, it is important to note that if you need to use thick padding, your helmet may be the wrong size or shape for your head⁹.

The helmet should fit snugly around the head, but it should not feel tight and should not move more than an inch in any direction. The straps should form a 'V' under the earlobes and the cyclist should not be able to fit more than two fingers between their chin strap and chin. Once the chin strap is secured, it must not pull off. The helmet also needs to be positioned correctly. It should not be tilted forwards or backwards and there should be a gap of no more than two fingers between the cyclist's eyebrows and the helmet⁹.

Ventilation

In terms of comfort, a well-ventilated helmet is important. The more vents that are on the helmet, the cooler the helmet will keep you and the lighter the helmet will be¹⁰. More expensive cycle helmets will often be designed to reduce weight, while offering full protection. Reducing the weight of the helmet allows you to climb and accelerate faster and conserve energy as you ride. It can also allow you to move your head more easily, allowing you to be more aware of what is going on around you and to spot potential hazards⁷.



Road Safety Factsheet: Cycle helmets

Visibility

When buying a helmet, it could be a good idea to get a white or brightly coloured helmet to increase other road user's visibility of you¹¹. If riding on the road, it is also advisable to purchase a helmet that has a rear light, as this can be particularly useful in the darker months of the year⁹.

Replacing your cycle helmet

It is important that a helmet is replaced immediately if you are involved in a collision or is dropped with enough force to cause structural damage. It is also recommended that a cycle helmet is replaced when it starts to show signs of aging and wear and tear. This is because collisions and wear and tear can cause internal weakness in the helmet, which is not visible to the human eye. This could mean that the helmet may not perform as well if you are involved in a collision or fall⁹.

Some manufacturers offer 'crash replacement' if the helmet is under three years old, meaning that you can buy a new helmet at a reduced price if your helmet is involved in a collision.

Cycle helmet research

The effectiveness of cycle helmets

Although helmets cannot be expected to be effective in preventing or reducing the extent of head injury in all scenarios, evidence does suggest that helmets are effective in reducing injuries. The effectiveness of the helmet is therefore dependent on the type of collision that the cyclist is involved in, the injury tolerance of the rider and the surface that the helmet makes contact with (e.g. a kerb or a car bonnet).

A Cochrane Review found that five case-control studies from different countries showed the large protective effect of helmets. The review suggested that helmets decreased the risk of injury to the head and the brain by 65%-88% and the upper and mid-face by 65%¹². However, the review did acknowledge that little to no protection is offered to the lower face and jaw¹³.

Recent studies have found that helmets do offer protection to the cyclist's head, but often to a lesser extent. A French study found that helmets contributed to a 24%-31% reduction in head injury and a 70% reduction in head injuries categorised at more than a level 2 (moderate injury) on the abbreviated injury scale¹⁴.

One study found that in a sample of 97 patients admitted for over 24 hours with head injuries to a major trauma centre in London; those not wearing a helmet were significantly more likely to suffer a skull fracture or intracranial injury (traumatic brain injury). The study also identified that helmets may perform better in some situations than others. Results suggested that the helmet performed better from the effects of direct impact rather than shearing injuries. However, the helmeted group did experience less contusions (bruises) and subarachnoid haemorrhages, suggesting that helmets may protect from these kinds of injuries too, although further research is needed¹⁵.



Road Safety Factsheet: Cycle helmets

In another study, data from Finland of bicycle crashes that led to a hospital stay or death were analysed. Over one third of these cyclists had suffered a head injury and only 13% of these wore a helmet. 15% of those who wore a helmet suffered a head injury and 43% of those not wearing a helmet sustained a head injury¹⁶.

A similar piece of research was conducted by Boufous et al (2012) who obtained data on police reported cycling crashes over a five-year period from the Road Authority of Victoria. This included 6,432 cyclist crashes, which were reported to the police between 2004 and 2008, with 2,181 resulting in severe injury of the cyclist. Analysis showed that a number of cyclist characteristics (e.g. helmet use and age) as well as crash and road characteristics were associated with the severity of injury of a cyclist involved in a traffic collision. Not wearing a helmet increased the risk of severe injury in police-reported cyclist traffic crashes by 56%¹⁷.

In a study by McIntosh et al (2013), head responses in impacts were analysed and compared against helmet use, impact location, impact severity and helmet adjustment. A series of laboratory tests were undertaken using an impact rig and a dummy head and neck. The head struck a horizontally moving striker plate and head linear and angular acceleration and striker plate force were measured. Results showed that helmets reduced peak linear and angular acceleration. Results also showed that a cyclist without a helmet would suffer at least a concussion or mild traumatic injury in the least severe impact and have a greater than 30% chance of suffering a serious skull or brain injury in the impacts of higher severity. Although in certain situations, the wearing of a helmet can reduce linear and rotational acceleration of the head upon impact, it cannot show that this will be the case in every scenario¹⁸.

A study conducted by McNally and Whitehead adopted an approach in which they created individual computer simulation models of a bicycle, cyclist (with and without helmet) and a vehicle. They then modelled four accident scenarios: loss of control, kerb impact, side impact by a vehicle and rear impact by a vehicle. Helmets were found to be effective at reducing the severity of head injuries over the full range of simulations. Where the head impact did occur, the risk of sustaining an injury of above level three on the abbreviated injury scale (serious injury) was reduced by 40%. However, as other studies have shown, McNally and Whitehead acknowledge that cycle helmets will not protect in all situations. They found that in four of the 21 simulations (19%) with a head injury, a helmet did not reduce the severity of an injury. Each of these cases were high-energy impact involving a vehicle and were fatal whether a helmet was worn or not. Despite this, the simulations showed that a fatality could be prevented in one third of cases by wearing a cycle helmet¹⁹.

Elvik criticised the 1999 Cochrane Review of the effectiveness of cycle helmets and stated that helmet use could be associated with a 50% decrease in head injury and a 21% reduction in fatal injury, but increases the odds of neck injury by 28%²⁰. However, a recent meta-analysis suggested that neck injury is not common, is usually of a low severity and is not associated with helmet use. Across all studies in the review, the proportion of cyclists with neck injuries (2.6%) was much less than those with injuries to the head (29%), serious injuries to the head (7.4%) and injuries to the face (21.9%)¹⁴. For example, one study included in the review found that in a sample of 1710 cyclists, 65 had neck injuries and just four of these were more severe than a level 1 on the abbreviated injury scale (minor injury)²¹.

Some also suggest that helmet use increases the chance of the cyclist suffering a diffuse axonal injury (a severe form of brain injury, which is a common cause of unconsciousness and a persistent vegetative state). However, like neck injuries, this is a rare diagnosis amongst cyclists. There is some evidence in motorcycle helmet research that suggests that there is a threshold at which a helmet turns from beneficial to detrimental in the



Road Safety Factsheet: Cycle helmets

event of a collision. However, this study estimated that this switch occurs at around 124km/h, which would not be possible on a bicycle²².

The meta-analysis by Olivier and Creighton (2016) is the most recent and extensive overview of case-control studies of the protective effect of cycle helmets. This meta-analysis is based on 40 case-control studies. In these studies, 64,000 cycling casualties with and without helmet were compared. They estimate that the risk of severe head injury decreases by 69% and the risk of fatal head injury by 65%²³.

Does cycle helmet legislation reduce the level of cycling?

Despite the evidence surrounding the effectiveness of cycle helmets, some studies suggest that in areas where cycle helmets have been made compulsory, the levels of cycling has fallen, thus negating the potential health and environmental benefits. This has been cited as a reason to avoid making helmet wearing compulsory:

- Western Australia's helmet law reduced cycling in Perth by 30-40%²⁴.
- In Melbourne, child cycling levels reduced by 36% and 44% amongst teenagers²⁵.
- Some countries or states have seen recoveries in cycling levels, mainly of adult recreational cycling. However, in these cases, there was often little or no enforcement of cycle helmet laws or enforcement had been relaxed. In areas where police continued to enforce cycle helmet laws, levels of cycling remained low, particularly among children and for day-to-day journeys²⁴.

Although there is relatively little research on this issue and it remains unclear whether the enforcement cycle helmet laws does reduce the level of cycling, these findings are concerning, as the health and wellbeing benefits of cycling are also lost.

Risk compensation

Others state that the protective effect of cycle helmets is exaggerated, drawing on 'risk compensation'. This is where either cyclists or motorists change their behaviour as a result of a cyclist wearing a helmet, meaning that any benefit of wearing a helmet is offset by an increase in risk in other areas (e.g. the cyclist riding faster or motorists passing closer to the cyclist)⁶.

One study found that drivers showed more risky behaviour towards a cyclist wearing a helmet. Instances included the driver overtaking cyclists wearing a helmet closer than those not wearing a helmet. As a possible explanation, the author mentioned that a driver might see helmeted cyclists as more skilled than cyclists not wearing a helmet, therefore selecting smaller safety margins²⁶.

While some research has been suggestive of this, reanalysis and re-interpretation appears to disprove any support for this notion²⁷.



Road Safety Factsheet: Cycle helmets

Policy position

There continues to be much debate regarding the effectiveness of cycle helmets and whether the wearing of them should be made compulsory. RoSPA's position regarding this is that we strongly recommend that cyclists wear a cycle helmet, as it reduces the risk of suffering a serious head or brain injury in an accident. However, cycle helmets do not prevent crashes from happening in the first place, nor guarantee survival, but they do provide a last line of defence for the cyclist's head.

RoSPA does not support calls for compulsory cycle helmet laws because it is not clear whether such a law would discourage some people from cycling, which, if it did, would mean losing the health and environmental benefits from cycling. By deterring people from cycling, they may also reduce the benefits that cyclists gain from 'safety in numbers'. For more information on the safety in numbers effect, read our [factsheet](#).

If we are to make cycling safer, it is vital that drivers and cyclist share the road space and that driver have a greater appreciation of their vulnerability. Cyclists are most likely to be injured at junction, roundabouts, where the road narrows (pinch points) and near left turning HGVs. Cyclists are particularly vulnerable at junctions where drivers 'look and fail to see'. RoSPA has completed a free downloadable presentation, which looks at where and when cyclists are most at risk and considers what actions both drivers and cyclists can take to help make cycling safer. This can be found at: <http://www.rospa.com/road-safety/resources/free/drivers/>

Helmets do have a role to play, however they must be regarded as a secondary safety feature. Preventing the collision happening in the first place should be paramount.



References

¹ Department for Transport (2017) 'Reported road casualties in Great Britain: 2016 annual report'

URL: https://www.gov.uk/government/uploads/system/uploads/attachment_data/file/648081/rrcgb2016-01.pdf

Date Accessed: 08/12/2017.

² National Institute for Health and Clinical Excellence (2012) 'Walking and cycling: local measures to promote walking and cycling as forms of travel'

URL: http://www.sustainabilitywestmidlands.org.uk/wp-content/uploads/walking_and_cycling_NICE.pdf

Date Accessed: 12/01/2018.

³ Thompson et al (1999) cited in Forbes et al (2017) 'Head injury patterns in helmeted and non helmeted cyclists', *PLOS ONE*, <https://doi.org/10.1371/journal.pone.0185367>

⁴ TfL cited in Forbes et al (2017) 'Head injury patterns in helmeted and non helmeted cyclists', *PLOS ONE*, <https://doi.org/10.1371/journal.pone.0185367>

⁵ WhyCycle? (undated) 'Safety and Security: Cycling Helmets'

URL: <https://www.whycycle.co.uk/cycling-advice/safety-and-security/cycling-helmets/>

Date Accessed: 08/12/2017.

⁶ TRL (2014) 'Jersey Scrutiny Review: Compulsory wearing of cycle helmets'

URL: <https://trl.co.uk/sites/default/files/PPR697%20-%20Jersey%20scrutiny%20review%20compulsary%20wearing%20of%20cycle%20helmets.pdf>

Date Accessed: 13/12/2017.

⁷ Go Outdoors (undated) 'Guide to Cycling Helmets'

URL: <http://www.gooutdoors.co.uk/expert-advice/cycling-helmets>

Date Accessed: 13/12/2017.

⁸ SWOV (2017) 'Bicycle Helmets'

URL: <https://www.swov.nl/en/facts-figures/factsheet/bicycle-helmets>

Date Accessed: 22/12/2017.

⁹ Halfords (undated) 'Bike Helmets Buyer's Guide + Video'

URL: <http://www.halfords.com/advice/cycling/buyers-guides/bike-helmets-buyers-guide-video>

Date Accessed: 13/12/2017.

¹⁰ Wiggle (undated) 'Helmet buying guide'

URL: <https://guides.wiggle.co.uk/helmet-buying-guide> Date Accessed: 13/12/2017.

¹¹ Helmets.org (2017) 'A Buyer's Guide to Bicycle Helmets'

URL: <https://helmets.org/guide.htm> Date Accessed: 08/12/2017.

¹² Thompson et al. (1999) 'Helmets for preventing head and facial injuries in bicyclists (Review)'

URL: <http://onlinelibrary.wiley.com/doi/10.1002/14651858.CD001855/epdf> Date Accessed: 05/01/2018.

¹³ Thompson (1990) cited in Thompson et al. (1999) 'Helmets for preventing head and facial injuries in bicyclists (Review)'

URL: <http://onlinelibrary.wiley.com/doi/10.1002/14651858.CD001855/epdf> Date Accessed: 05/01/2018.

¹⁴ Olivier, J. and Creighton, P. (2016) 'Bicycle injuries and helmet use: a systematic review and meta-analysis', *International Journal of Epidemiology*, 1:1-15.

¹⁵ Forbes et al (2017) 'Head injury patterns in helmeted and non helmeted cyclists', *PLOS ONE*, <https://doi.org/10.1371/journal.pone.0185367>

¹⁶ Airaksinen et al (2010) cited in TRL (2014) 'Jersey Scrutiny Review: Compulsory wearing of cycle helmets'

URL: <https://trl.co.uk/sites/default/files/PPR697%20-%20Jersey%20scrutiny%20review%20compulsary%20wearing%20of%20cycle%20helmets.pdf>

Date Accessed: 13/12/2017.

¹⁷ Boufous et al cited in TRL (2014) 'Jersey Scrutiny Review: Compulsory wearing of cycle helmets'

URL: <https://trl.co.uk/sites/default/files/PPR697%20-%20Jersey%20scrutiny%20review%20compulsary%20wearing%20of%20cycle%20helmets.pdf>

Date Accessed: 13/12/2017.

¹⁸ McIntosh et al (2013) cited in TRL (2014) 'Jersey Scrutiny Review: Compulsory wearing of cycle helmets'

URL: <https://trl.co.uk/sites/default/files/PPR697%20-%20Jersey%20scrutiny%20review%20compulsary%20wearing%20of%20cycle%20helmets.pdf>

Date Accessed: 13/12/2017.

¹⁹ McNally and Whitehead (2013) cited in TRL (2014) 'Jersey Scrutiny Review: Compulsory wearing of cycle helmets'

URL: <https://trl.co.uk/sites/default/files/PPR697%20-%20Jersey%20scrutiny%20review%20compulsary%20wearing%20of%20cycle%20helmets.pdf>

Date Accessed: 13/12/2017.

²⁰ Elvik (2001) cited in Olivier, J. and Creighton, P. (2016) 'Bicycle injuries and helmet use: a systematic review and meta-analysis', *International Journal of Epidemiology*, 1:1-15.

²¹ McDermott (1993) cited in Olivier, J. and Creighton, P. (2016) 'Bicycle injuries and helmet use: a systematic review and meta-analysis', *International Journal of Epidemiology*, 1:1-15.

²² Bambach et al (2011) cited in Olivier, J. and Creighton, P. (2016) 'Bicycle injuries and helmet use: a systematic review and meta-analysis', *International Journal of Epidemiology*, 1:1-15.

²³ Olivier, J. and Creighton, P. (2016) cited in SWOV (2017) 'Bicycle Helmets'

URL: <https://www.swov.nl/en/facts-figures/factsheet/bicycle-helmets>

Date Accessed: 22/12/2017.

²⁴ Cycle-Helmets (undated) cited in Cycling UK (2017) 'Cycling UK CAMPAIGNS BRIEFING: Cycle Helmets'

URL: https://www.cyclinguk.org/sites/default/files/document/2017/11/helmets-policy_4s.pdf Date Accessed: 08/12/2017.

²⁵ Finch et al (1993) cited in Cycling UK (2017) 'Cycling UK CAMPAIGNS BRIEFING: Cycle Helmets'
URL: https://www.cyclinguk.org/sites/default/files/document/2017/11/helmets-policy_4s.pdf Date Accessed:
08/12/2017.

²⁶ Walker, I. (2007) 'Drivers overtaking bicyclists: Objective data on the effects of riding position, helmet use, vehicle type and apparent gender', *Accident Analysis & Prevention*, 39: 417–425.

²⁷ Olivier and Walter (2013) cited in TRL (2014) 'Jersey Scrutiny Review: Compulsory wearing of cycle helmets'
URL: <https://trl.co.uk/sites/default/files/PPR697%20-%20Jersey%20scrutiny%20review%20compulsary%20wearing%20of%20cycle%20helmets.pdf>

Date Accessed: 13/12/2017.