

Accidents and Under 5s



Accidents
are the biggest
killer of children
and young people...


Every week

at least one child
under-5 is killed
in an accident



At least
half of all
under-5s


will attend A&E this year
because of an accident



Every week

over 100
under-5s


are hospitalised for
accidental poisoning



More than

75%
of under-5s

who die in an
accident, do so
in the home



Every week

60
under-5s


are hospitalised as a
result of a burn or scald



Since 2001 at least:


18
babies

have died after
suffocating or choking
on a nappy sack



32
toddlers

have died due to
strangulation on
a looped blind cord



ROSPA

accidents don't have to happen

The Royal Society for the Prevention of Accidents

Accident statistics taken from the following sources:

ONS data for England & Wales, 2012-14

NHS England (A&E attendance data) and ONS (population data)

The Health and Social Care Information Centre, Hospital Episode Statistics for England, Admitted Patient Care statistics, 2014-15

RoSPA recorded data

Office for National Statistics, National Records of Scotland and Northern Ireland Statistics and Research Agency

ONS 2015 mortality statistics

Statistics given weekly and yearly are all averages

Accidents and Under 5s



Accidents
are the biggest
killer of children
and young people...


Every week

at least one child
under-5 is killed
in an accident




**At least
half of all
under-5s**

will attend A&E this year
because of an accident




**Every week
over 100
under-5s**

are hospitalised for
accidental poisoning



**More than
75%**


of under-5s
who die in an
accident, do so
in the home



Every week

**60
under-5s**


are hospitalised as a
result of a burn or scald



Since 2001 at least:


**18
babies**

have died after
suffocating or choking
on a nappy sack



**32
toddlers**

have died due to
strangulation on
a looped blind cord



ROSPA

accidents don't have to happen

The Royal Society for the Prevention of Accidents

Accident statistics taken from the following sources:

ONS data for England & Wales, 2012-14
NHS England (A&E attendance data) and ONS (population data)
The Health and Social Care Information Centre, Hospital Episode Statistics for England, Admitted Patient Care statistics, 2014-15
ROSPA recorded data
Office for National Statistics, National Records of Scotland and Northern Ireland Statistics and Research Agency
ONS 2015 mortality statistics

Statistics given weekly and yearly are all averages

Accidents and Under 5s



Accidents
are the biggest
killer of children
and young people...


Every week

at least one child
under-5 is killed
in an accident




**At least
half of all
under-5s**

will attend A&E this year
because of an accident




**Every week
over 100
under-5s**

are hospitalised for
accidental poisoning



**More than
75%**

of under-5s
who die in an
accident, do so
in the home



Every week

**60
under-5s**

are hospitalised as a
result of a burn or scald



Since 2001 at least:

**18
babies**

have died after
suffocating or choking
on a nappy sack



**32
toddlers**

have died due to
strangulation on
a looped blind cord



ROSPA

accidents don't have to happen

The Royal Society for the Prevention of Accidents

Accident statistics taken from the following sources:

ONS data for England & Wales, 2012-14

NHS England (A&E attendance data) and ONS (population data)

The Health and Social Care Information Centre, Hospital Episode Statistics for England, Admitted Patient Care statistics, 2014-15

ROSPA recorded data

Office for National Statistics, National Records of Scotland and Northern Ireland Statistics and Research Agency

ONS 2015 mortality statistics

Statistics given weekly and yearly are all averages